
SCHEDULE E

SMALL QUANTITY EXEMPTIONS
for
DANGEROUS GOODS

Section 1 Small Quantity Exemptions for Dangerous Goods

- 1.1 The existence of the following quantities of dangerous goods on a site shall not be considered to constitute a dangerous goods occupancy. Any quantities in excess of this amount must be approved by the Emergency Services Department of the City.

Class	Dangerous Goods	Maximum Exempt Amount
1	Explosives	0
2	Gasses: Div. 1 Flammable Div. 2 Non – flammable Div. 3 Poisonous Div. 4 Corrosive	25 kg 150 kg 0 0
3	Flammable Liquids and Combustible ⁽¹⁾ Liquids	0
4	Flammable Solids: Div. 1 Flammable Solids Div. 2 Subject to Spontaneous Ignition Div. 3 Reactive to Water	100 kg ⁽²⁾ 50 kg 50 kg
5	Oxidizing Substances: Div. 1 Oxidizers Div. 2 Organic Peroxides	250 kg or 250 l 100 kg or 100 l
6	Poisonous and Infectious Substances: Div. 1 Poisonous Substances Packing Group i ⁽³⁾ Packing Group ii Packing Group iii Div. 2 Infectious Substances	0 100 kg or 100 l 1000 kg or 1000 l 0
7	Radioactive Materials	0
8	Corrosives ⁽⁴⁾ Packing Group I Packing Group II Packing Group III	500 kg or 500 l 1000 kg or 1000 l 2000 kg or 2000 l
9	Miscellaneous: Div. 1 Miscellaneous Div. 2 Environmental Div. 3 Specific Wastes	0 0 0

Table Notes

1. The Transportation of Dangerous Goods Regulations define “flammable liquids” as liquids having a flash point of 61 degrees C or below. The National Fire Code (NFC) defines “combustible liquids” as liquids having a flash point between 37.8 degrees C and 93.3 degrees C, and “flammable liquids” as having a flash point below 37.8 degrees C.
2. See Article 5.3.1.2. Alberta Fire Code.
3. The Transportation of Dangerous Goods Act defines “packing group” as “a level of hazard inherent to dangerous goods”. Packing Group I products are more hazardous than Packing Group iii products.
4. The Transportation of Dangerous Goods uses the expression “corrosives” rather than corrosive substances.